



www.assuredautomation.com
800-899-0553

FKWE Series									
Glass Reinforced PP Body, PP Disc, Wafer, Plastic Butterfly Valve, EPDM seats with Actuator									
Pneumatic Actuators									
Spring Return					Double Acting				
80 PSIG		60 PSIG			80 PSIG		60 PSIG		
	*FKWEPP08S**	*FKWEPPE8S**	*FKWEPP06S**	*FKWEPPE6S**	*FKWEPP08D	*FKWEPPE8D	*FKWEPP06D	*FKWEPPE6D	
G 1½"	\$ 564	\$ 581	\$ 564	\$ 581	\$ 526	\$ 545	\$ 576	\$ 545	
H 2"	\$ 577	\$ 594	\$ 577	\$ 594	\$ 539	\$ 558	\$ 590	\$ 558	
I 2½"	\$ 615	\$ 676	\$ 615	\$ 676	\$ 577	\$ 596	\$ 627	\$ 596	
J 3"	\$ 679	\$ 737	\$ 751	\$ 737	\$ 616	\$ 682	\$ 616	\$ 621	
K 4"	\$ 806	\$ 1,060	\$ 892	\$ 1,060	\$ 670	\$ 736	\$ 711	\$ 760	
L 5"	\$ 1,181	\$ 1,349	\$ 1,288	\$ 1,349	\$ 1,056	\$ 1,049	\$ 1,056	\$ 1,049	
M 6"	\$ 1,198	\$ 1,503	#N/A	\$ 1,503	\$ 965	\$ 1,122	#N/A	\$ 1,122	
N 8"	#N/A	\$ 2,004	#N/A	\$ 2,004	#N/A	\$ 1,623	#N/A	\$ 1,780	
O 10"	#N/A	\$ 3,657	#N/A	\$ 3,657	#N/A	\$ 2,057	#N/A	\$ 2,714	
P 12"	#N/A	\$ 5,764	#N/A	\$ 5,764	#N/A	\$ 3,474	#N/A	\$ 3,474	
* Size Code ** Fail Position: C=Closed, O=Open									
Electric Actuators									
NEMA 4			Explosion Proof			Manual			
	*FKWEPPK4A	*FKWEPPI4**	*FKWEPPE7A			*FKWEPPM			
G 1½"	971	1187	1688			\$ 299			
H 2"	984	1200	1702			\$ 312			
I 2½"	1022	1238	1739			\$ 350			
J 3"	1011	1226	1728			\$ 338			
K 4"	1265	1298	1782			\$ 392			
L 5"	1554	2264	2303			\$ 681			
M 6"	1903	2174	2545			\$ 591			
N 8"	2404	2674	5311			\$ 1,091			
O 10"	3581	#N/A	5588			\$ 1,479			
P 12"	4341	#N/A	6578			\$ 2,261			
* Size Code Voltage Code: A = 120VAC, ** Use: B(24VDC) or F(12VDC)									
Accessory items									
Solenoid Valves									
Code									
E1*	3-Way Nema 4/4X, potted 1/2" Conduit, NAMUR Mount								\$ 86
E2*	3-Way Nema 4/4X/7, potted 1/2" Conduit, NAMUR Mount								\$ 122
E3*	3-Way Nema 4/4X Din Cord Grip, NAMUR Mount								\$ 68
E4*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount								\$ 77
E5*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 6' Cord Set								\$ 94
E6*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 15' Cord Set								\$ 102
C1*	3/4-Way Nema 4/4X, potted 1/2" Conduit, NAMUR Mount								\$ 122
C2*	3/4-Way Nema 4/4X/7, potted 1/2" Conduit, NAMUR Mount								\$ 158
C3*	3/4-Way Nema 4/4X Din Cord Grip, NAMUR Mount								\$ 110
C4*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount								\$ 110
C5*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 6' Cord Set								\$ 127
C6*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 15' Cord Set								\$ 135
* Voltage Codes A=120VAC, B = 24VDC, C=220VAC, E=24VAC, F=12VDC, Others Available)									
Limit Switches									
YF	Weatherproof 2 SPDT, Mechanical								\$ 83
YO	Class I, Div II, Proximity Sensor, Lexan Cover								\$ 541
YH	Class I, Div I, Proximity Sensor, Alum. Cover								\$ 577
YE	Class I, Div I, Mechanical Switch, Alum. Cover								\$ 388
UA	Weatherproof Efector IN0117 AC/DC Non-Contact, 2 NO Contacts								\$ 220
UB	Weatherproof Efector IN5327 DC Non-Contact, 2 NO Contacts								\$ 204
Manual Valve with Limit Switch									
Call Factory for Pricing									
Pneumatic Actuator Positioners									
P5	3-15PSIG input PMV Positioner (w/o gauges)								\$ 743
E5	4-20mADC Input positioners (w/o gauges)								\$ 1,370
Electric Actuators									
VEP	V series Electronic Positioner								\$ 695
								Effective:	10/18/2011



www.assuredautomation.com
800-899-0553

FKWV Series									
Glass Reinforced PP Body, PP Disc, Wafer, Plastic Butterfly Valve, Viton seats with Actuator									
Pneumatic Actuators									
Spring Return					Double Acting				
80 PSIG		60 PSIG			80 PSIG		60 PSIG		
*FKWVPP08S**	*FKWVPPE8S**	*FKWVPP06S**	*FKWVPPE6S**	*FKWVPP08D	*FKWVPPE8D	*FKWVPP06D	*FKWVPPE6D		
G 1½"	\$ 763	\$ 780	\$ 763	\$ 780	\$ 725	\$ 744	\$ 775	\$ 744	
H 2"	\$ 707	\$ 724	\$ 707	\$ 724	\$ 669	\$ 688	\$ 719	\$ 688	
I 2½"	\$ 901	\$ 962	\$ 901	\$ 962	\$ 863	\$ 882	\$ 913	\$ 882	
J 3"	\$ 854	\$ 912	\$ 927	\$ 912	\$ 791	\$ 857	\$ 791	\$ 796	
K 4"	\$ 1,037	\$ 1,291	\$ 1,124	\$ 1,291	\$ 901	\$ 967	\$ 943	\$ 991	
L 5"	\$ 1,780	\$ 1,947	\$ 1,887	\$ 1,947	\$ 1,654	\$ 1,647	\$ 1,654	\$ 1,647	
M 6"	\$ 1,618	\$ 1,923	#N/A	\$ 1,923	\$ 1,385	\$ 1,542	#N/A	\$ 1,542	
N 8"	#N/A	\$ 2,599	#N/A	\$ 2,599	#N/A	\$ 2,218	#N/A	\$ 2,375	
O 10"	#N/A	\$ 6,190	#N/A	\$ 6,190	#N/A	\$ 4,590	#N/A	\$ 5,247	
P 12"	#N/A	\$ 8,478	#N/A	\$ 8,478	#N/A	\$ 6,188	#N/A	\$ 6,188	
* Size Code ** Fail Position: C=Closed, O=Open									
Electric Actuators									
NEMA 4			Explosion Proof			Manual			
*FKWVPPK4A	*FKWVPPI4**		*FKWVPPE7A		*FKWVPPM				
G 1½"	1170	1386	1887		\$ 497				
H 2"	1114	1330	1831		\$ 441				
I 2½"	1308	1523	2025		\$ 635				
J 3"	1186	1402	1903		\$ 514				
K 4"	1496	1529	2013		\$ 624				
L 5"	2152	2863	2902		\$ 1,280				
M 6"	2323	2594	2965		\$ 1,011				
N 8"	2999	3270	5907		\$ 1,687				
O 10"	6114	#N/A	8121		\$ 3,901				
P 12"	7055	#N/A	9292		\$ 4,842				
* Size Code Voltage Code: A = 120VAC, ** Use: B(24VDC) or F(12VDC)									
Accessory items									
Solenoid Valves									
Code									
E1*	3-Way Nema 4/4X, potted 1/2" Conduit, NAMUR Mount								\$ 86
E2*	3-Way Nema 4/4X/7, potted 1/2" Conduit, NAMUR Mount								\$ 122
E3*	3-Way Nema 4/4X Din Cord Grip, NAMUR Mount								\$ 68
E4*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount								\$ 77
E5*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 6' Cord Set								\$ 94
E6*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 15' Cord Set								\$ 102
C1*	3/4-Way Nema 4/4X, potted 1/2" Conduit, NAMUR Mount								\$ 122
C2*	3/4-Way Nema 4/4X/7, potted 1/2" Conduit, NAMUR Mount								\$ 158
C3*	3/4-Way Nema 4/4X Din Cord Grip, NAMUR Mount								\$ 110
C4*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount								\$ 110
C5*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 6' Cord Set								\$ 127
C6*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 15' Cord Set								\$ 135
* Voltage Codes A=120VAC, B = 24VDC, C=220VAC, E=24VAC, F=12VDC, Others Available)									
Limit Switches									
YF	Weatherproof 2 SPDT, Mechanical								\$ 83
YO	Class I, Div II, Proximity Sensor, Lexan Cover								\$ 541
YH	Class I, Div I, Proximity Sensor, Alum. Cover								\$ 577
YE	Class I, Div I, Mechanical Switch, Alum. Cover								\$ 388
UA	Weatherproof Efelector IN0117 AC/DC Non-Contact, 2 NO Contacts								\$ 220
UB	Weatherproof Efelector IN5327 DC Non-Contact, 2 NO Contacts								\$ 204
Manual Valve with Limit Switch									
Call Factory for Pricing									
Pneumatic Actuator Positioners									
P5	3-15PSIG input PMV Positioner (w/o gauges)								\$ 743
E5	4-20mADC Input positioners (w/o gauges)								\$ 1,370
Electric Actuators									
VEP	V series Electronic Positioner								\$ 695
								Effective:	10/18/2011



www.assuredautomation.com
800-899-0553

FKLE Series

Glass Reinforced PP Body, PP Disc, Lug, Plastic Butterfly Valve, EPDM seats with Actuator

Pneumatic Actuators

	Spring Return				Double Acting			
	80 PSIG		60 PSIG		80 PSIG		60 PSIG	
	*FKLEPP08S**	*FKLEPPE8S**	*FKLEPP06S**	*FKLEPPE6S**	*FKLEPP08D	*FKLEPPE8D	*FKLEPP06D	*FKLEPPE6D
I 2½"	\$ 988	\$ 1,049	\$ 988	\$ 1,049	\$ 950	\$ 969	\$ 1,000	\$ 969
J 3"	\$ 1,056	\$ 1,114	\$ 1,129	\$ 1,114	\$ 993	\$ 1,059	\$ 993	\$ 998
K 4"	\$ 1,582	\$ 1,836	\$ 1,669	\$ 1,836	\$ 1,446	\$ 1,512	\$ 1,487	\$ 1,536
L 5"	\$ 1,736	\$ 1,903	\$ 1,843	\$ 1,903	\$ 1,610	\$ 1,603	\$ 1,610	\$ 1,603
M 6"	\$ 2,150	\$ 2,455	#N/A	\$ 2,455	\$ 1,917	\$ 2,074	#N/A	\$ 2,074
N 8"	#N/A	\$ 3,101	#N/A	\$ 3,101	#N/A	\$ 2,720	#N/A	\$ 2,877
O 10"	#N/A	\$ 5,536	#N/A	\$ 5,536	#N/A	\$ 3,936	#N/A	\$ 4,593
P 12"	#N/A	\$ 7,643	#N/A	\$ 7,643	#N/A	\$ 5,353	#N/A	\$ 5,353

* Size Code ** Fail Position: C=Closed, O=Open

Electric Actuators

	NEMA 4		Explosion Proof	Manual
	*FKLEPPK4A	*FKLEPPI4**	*FKLEPPE7A	*FKLEPPM
I 2½"	1395	1610	2112	\$ 722
J 3"	1388	1604	2105	\$ 716
K 4"	2041	2074	2558	\$ 1,168
L 5"	2108	2819	2858	\$ 1,236
M 6"	2855	3126	3496	\$ 1,542
N 8"	3501	3772	6409	\$ 2,189
O 10"	5460	#N/A	7467	\$ 3,248
P 12"	6220	#N/A	8457	\$ 4,008

* Size Code Voltage Code: A = 120VAC, ** Use: B(24VDC) or F(12VDC)

Accessory items

Solenoid Valves

Code	Description	Price
E1*	3-Way Nema 4/4X, potted 1/2" Conduit, NAMUR Mount	\$ 86
E2*	3-Way Nema 4/4X/7, potted 1/2" Conduit, NAMUR Mount	\$ 122
E3*	3-Way Nema 4/4X Din Cord Grip, NAMUR Mount	\$ 68
E4*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount	\$ 77
E5*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 6' Cord Set	\$ 94
E6*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 15' Cord Set	\$ 102
C1*	3/4-Way Nema 4/4X, potted 1/2" Conduit, NAMUR Mount	\$ 122
C2*	3/4-Way Nema 4/4X/7, potted 1/2" Conduit, NAMUR Mount	\$ 158
C3*	3/4-Way Nema 4/4X Din Cord Grip, NAMUR Mount	\$ 110
C4*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount	\$ 110
C5*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 6' Cord Set	\$ 127
C6*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 15' Cord Set	\$ 135

* Voltage Codes A=120VAC, B = 24VDC, C=220VAC, E=24VAC, F=12VDC, Others Available)

Limit Switches

YF	Weatherproof 2 SPDT, Mechanical	\$ 83
YO	Class I, Div II, Proximity Sensor, Lexan Cover	\$ 541
YH	Class I, Div I, Proximity Sensor, Alum. Cover	\$ 577
YE	Class I, Div I, Mechanical Switch, Alum. Cover	\$ 388
UA	Weatherproof Efector IN0117 AC/DC Non-Contact, 2 NO Contacts	\$ 220
UB	Weatherproof Efector IN5327 DC Non-Contact, 2 NO Contacts	\$ 204

Manual Valve with Limit Switch

Call Factory for Pricing

Pneumatic Actuator Positioners

P5	3-15PSIG input PMV Positioner (w/o gauges)	\$ 743
E5	4-20mADC Input positioners (w/o gauges)	\$ 1,370

Electric Actuators

VEP	V series Electronic Positioner	\$ 695
-----	--------------------------------	--------

Effective: 10/18/2011



www.assuredautomation.com
800-899-0553

FKLV series									
Glass Reinforced PP Body, PP Disc, Lug, Plastic Butterfly Valve, Viton seats with Actuator									
Pneumatic Actuators									
	Spring Return				Double Acting				
	80 PSIG		60 PSIG		80 PSIG		60 PSIG		
	*FKLEPP08S**	*FKLEPPE8S**	*FKLEPP06S**	*FKLEPPE6S**	*FKLEPP08D	*FKLEPPE8D	*FKLEPP06D	*FKLEPPE6D	
I 2½"	\$ 1,373	\$ 1,434	\$ 1,373	\$ 1,434	\$ 1,335	\$ 1,354	\$ 1,385	\$ 1,354	
J 3"	\$ 1,312	\$ 1,370	\$ 1,385	\$ 1,370	\$ 1,249	\$ 1,315	\$ 1,249	\$ 1,254	
K 4"	\$ 1,920	\$ 2,174	\$ 2,007	\$ 2,174	\$ 1,784	\$ 1,850	\$ 1,825	\$ 1,874	
L 5"	\$ 2,171	\$ 2,338	\$ 2,278	\$ 2,338	\$ 2,045	\$ 2,038	\$ 2,045	\$ 2,038	
M 6"	\$ 2,773	\$ 3,079	#N/A	\$ 3,079	\$ 2,541	\$ 2,698	#N/A	\$ 2,698	
N 8"	#N/A	\$ 3,922	#N/A	\$ 3,922	#N/A	\$ 3,541	#N/A	\$ 3,698	
O 10"	#N/A	\$ 8,070	#N/A	\$ 8,070	#N/A	\$ 6,470	#N/A	\$ 7,127	
P 12"	#N/A	\$ 10,358	#N/A	\$ 10,358	#N/A	\$ 8,068	#N/A	\$ 8,068	
* Size Code ** Fail Postion: C=Closed, O=Open									
Electric Actuators									
	NEMA 4		Explosion Proof		Manual				
	*FKLEPPK4A	*FKLEPPI4**	*FKLEPPE7A		*FKLEPPM				
I 2½"	1780	1996	2497		\$ 1,108				
J 3"	1644	1860	2361		\$ 971				
K 4"	2379	2412	2896		\$ 1,506				
L 5"	2543	3254	3293		\$ 1,670				
M 6"	3479	3749	4120		\$ 2,166				
N 8"	4322	4592	7229		\$ 3,009				
O 10"	7994	#N/A	10001		\$ 5,781				
P 12"	8935	#N/A	11172		\$ 6,722				
* Size Code Voltage Code: A = 120VAC, ** Use: B(24VDC) or F(12VDC)									
Accessory items									
Solenoid Valves									
Code									
E1*	3-Way Nema 4/4X, potted 1/2" Conduit, NAMUR Mount								\$ 86
E2*	3-Way Nema 4/4X/7, potted 1/2" Conduit, NAMUR Mount								\$ 122
E3*	3-Way Nema 4/4X Din Cord Grip, NAMUR Mount								\$ 68
E4*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount								\$ 77
E5*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 6' Cord Set								\$ 94
E6*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 15' Cord Set								\$ 102
C1*	3/4-Way Nema 4/4X, potted 1/2" Conduit, NAMUR Mount								\$ 122
C2*	3/4-Way Nema 4/4X/7, potted 1/2" Conduit, NAMUR Mount								\$ 158
C3*	3/4-Way Nema 4/4X Din Cord Grip, NAMUR Mount								\$ 110
C4*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount								\$ 110
C5*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 6' Cord Set								\$ 127
C6*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 15' Cord Set								\$ 135
* Voltage Codes A=120VAC, B = 24VDC, C=220VAC, E=24VAC, F=12VDC, Others Available)									
Limit Switches									
YF	Weatherproof 2 SPDT, Mechanical								\$ 83
YO	Class I, Div II, Proximity Sensor, Lexan Cover								\$ 541
YH	Class I, Div I, Proximity Sensor, Alum. Cover								\$ 577
YE	Class I, Div I, Mechanical Switch, Alum. Cover								\$ 388
UA	Weatherproof Efector IN0117 AC/DC Non-Contact, 2 NO Contacts								\$ 220
UB	Weatherproof Efector IN5327 DC Non-Contact, 2 NO Contacts								\$ 204
Manual Valve with Limit Switch									
Call Factory for Pricing									
Pneumatic Actuator Positioners									
P5	3-15PSIG input PMV Positioner (w/o gauges)								\$ 743
E5	4-20mADC Input positioners (w/o gauges)								\$ 1,370
Electric Actuators									
VEP	V series Electronic Positioner								\$ 695
Effective: 10/18/2011									



www.assuredautomation.com
800-899-0553

FEWE Series									
Glass Reinforced PP Body, PP Disc, Wafer, Plastic Butterfly Valve, Viton seats with Actuator									
Pneumatic Actuators									
Spring Return					Double Acting				
80 PSIG			60 PSIG		80 PSIG			60 PSIG	
	*FEWEPPO8S**	*FEWEPPE8S**	*FEWEPPO6S**	*FEWEPPE6S**	*FEWEPPO8D	*FEWEPPE8D	*FEWEPPO6D	*FEWEPPE6D	
G 1½"	\$ 443	\$ 460	\$ 443	\$ 460	\$ 405	\$ 424	\$ 455	\$ 424	
H 2"	\$ 443	\$ 460	\$ 443	\$ 460	\$ 405	\$ 424	\$ 455	\$ 424	
I 2½"	\$ 443	\$ 504	\$ 443	\$ 504	\$ 405	\$ 424	\$ 455	\$ 424	
J 3"	\$ 518	\$ 576	\$ 591	\$ 576	\$ 455	\$ 521	\$ 455	\$ 460	
K 4"	\$ 626	\$ 881	\$ 713	\$ 881	\$ 491	\$ 557	\$ 532	\$ 581	
L 5"	\$ 797	\$ 964	\$ 903	\$ 964	\$ 671	\$ 664	\$ 671	\$ 664	
M 6"	\$ 934	\$ 1,239	#N/A	\$ 1,239	\$ 701	\$ 858	#N/A	\$ 858	
N 8"	#N/A	\$ 1,392	#N/A	\$ 1,392	#N/A	\$ 1,011	#N/A	\$ 1,168	
O 10"	#N/A	\$ 3,505	#N/A	\$ 3,505	#N/A	\$ 1,905	#N/A	\$ 2,562	
P 12"	#N/A	\$ 4,953	#N/A	\$ 4,953	#N/A	\$ 2,663	#N/A	\$ 2,663	
* Size Code ** Fail Position: C=Closed, O=Open									
Electric Actuators									
NEMA 4			Explosion Proof			Manual			
	*FEWEPK4A	*FEWEPPI4**	*FEWEPPE7A			*FEWEPPM			
G 1½"	850	1066	1567			\$ 178			
H 2"	850	1066	1567			\$ 178			
I 2½"	850	1066	1567			\$ 178			
J 3"	850	1066	1567			\$ 178			
K 4"	1086	1119	1603			\$ 213			
L 5"	1169	1880	1919			\$ 296			
M 6"	1639	1910	2280			\$ 327			
N 8"	1792	2062	4699			\$ 479			
O 10"	3429	#N/A	5436			\$ 1,216			
P 12"	3530	#N/A	5767			\$ 1,317			
* Size Code Voltage Code: A = 120VAC, ** Use: B(24VDC) or F(12VDC)									
Accessory items									
Solenoid Valves									
Code									
E1*	3-Way Nema 4/4X, potted 1/2" Conduit, NAMUR Mount								\$ 86
E2*	3-Way Nema 4/4X/7, potted 1/2" Conduit, NAMUR Mount								\$ 122
E3*	3-Way Nema 4/4X Din Cord Grip, NAMUR Mount								\$ 68
E4*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount								\$ 77
E5*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 6' Cord Set								\$ 94
E6*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 15' Cord Set								\$ 102
C1*	3/4-Way Nema 4/4X, potted 1/2" Conduit, NAMUR Mount								\$ 122
C2*	3/4-Way Nema 4/4X/7, potted 1/2" Conduit, NAMUR Mount								\$ 158
C3*	3/4-Way Nema 4/4X Din Cord Grip, NAMUR Mount								\$ 110
C4*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount								\$ 110
C5*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 6' Cord Set								\$ 127
C6*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 15' Cord Set								\$ 135
* Voltage Codes A=120VAC, B = 24VDC, C=220VAC, E=24VAC, F=12VDC, Others Available)									
Limit Switches									
YF	Weatherproof 2 SPDT, Mechanical								\$ 83
YO	Class I, Div II, Proximity Sensor, Lexan Cover								\$ 541
YH	Class I, Div I, Proximity Sensor, Alum. Cover								\$ 577
YE	Class I, Div I, Mechanical Switch, Alum. Cover								\$ 388
UA	Weatherproof Efelector IN0117 AC/DC Non-Contact, 2 NO Contacts								\$ 220
UB	Weatherproof Efelector IN5327 DC Non-Contact, 2 NO Contacts								\$ 204
Manual Valve with Limit Switch									
Call Factory for Pricing									
Pneumatic Actuator Positioners									
P5	3-15PSIG input PMV Positioner (w/o gauges)								\$ 743
E5	4-20mADC Input positioners (w/o gauges)								\$ 1,370
Electric Actuators									
VEP	V series Electronic Positioner								\$ 695
								Effective:	10/18/2011